

WSUD INDEX – STUDENT EDITION

A

Aquatic ecosystems - water quality guidelines	112
Aquifers	
bores	13
potentiometric gradient	12
recharge, quality standards	80–82, 112
recharge/retrieval	13, 48
water quality	12
water quality standards	112
water, use of	12, 13, 49–51
Australian climate zones	
Lower-Intermediate	44
Mid-Intermediate	44
Northern Australia	44
Southern Australia	44
Upper-Intermediate	44
Average annual yield - harvesting	
daily demand - hot water use	165
daily demand - outdoor use	165
daily demand - use sensitivity	166
daily rainfall data	162
demand summary - Australian cities	168
effective roof area	162
in-house demand - Adelaide	164
in-house demand - Australian cities	164, 165
in-house demand - Brisbane	163
in-house demand - general	163
in-house demand - Perth	164
initial storage (model)	162
introduction to model	161
low-level 'top-up'	161
model requirements	161
ornamental pond example	177, 178
outdoor use - exotic vegetation	165
outdoor use - native vegetation	165
raintank examples	175, 176
regional model	173, 174
regional model - steps	174
regional yields - explanation	173, 174
software - access	161
software - access details	178
software package	178
South Australia - yields	173
steps in procedures	166, 167, 175–77
without low-level 'top-up'	161
yields for Adelaide	169
yields for Australian cities	168
yields for Brisbane	169
yields for Canberra	170
yields for Darwin	170
yields for Hobart	171
yields for Melbourne	171
yields for Perth	172
yields for Sydney	172
Average recurrence interval, ARI	
"once only in Y-years" case	61, 62, 89, 90
entry works	61
illustrations	1, 18
overflow (exit) systems	61
storage devices	61
urban land use hierarchy	62
use with installation components	61

B

Bacteria	21, 102, 103
Bacteria/micro-organisms	102, 106
'Benchmark year' concept	55, 67, 68
Beneficial uses - water quality guidelines	109, 110

C

Case studies, need for	
advantages of retention	181
cost and policy matters	181
introduction	181
raintanks and flooding	181
regime-in-balance cases	181
regulatory frameworks	181
yield-maximum cases	181
yield-minimum cases	181
Catch basins and 'soak pits'	
catch basins	21
'soak pits'	21
Category 1 systems	21, 53–62, 73–96
Category 2 systems	21, 53, 63, 64, 113–54
Category 3 systems	21, 53, 64, 65, 155–80
Category 4 systems	54, 65
Channel-forming flow	5, 18, 53, 54
Clay sites - the final design option	96
Coarse sediment	21
Complex treatment systems	
background	113–15
example	130, 131
further design considerations	124–28, 152, 153, 154
introduction, steps in Procedure 6A	119–21
introduction, steps in Procedure 6B	123, 124
Concluding discussion	
Category 1 measures, role of	181
Category 2 measures, role of	181
Category 3 measures, role of	181
'filter strip' swales	153, 154
strategic action, need for	181
vision of WSUD (stormwater)	181
WSUD - amenity dimension	181
Conclusion	181
Constructed wetlands	21
Contaminants - guidelines for beneficial uses	109, 110
'Continuous simulation' modelling	
13-step tabulation	34, 35
applications	21, 115, 166, 173
background	31
design storm method	31, 37
flow operation modes	33
future directions	37, 38
'in-ground' storages	32
<i>modified</i> design storm method	31, 37–43
outcome/example - rain tanks	36
outcome/example - 'soakaways'	36
outcomes - 'dry' ponds	33
outcomes - 'soakaways'	33
rainwater storages	32, 166, 173
references	31
'treatment train' elements	32, 114, 116
Critical storm duration	37, 56–58, 83
Critical storm duration – link to runoff volume	30

D

Darcy's Law	23
Design - 'first flush' pollution control systems	121–24
Design for high-level pollution control	116–21
Design storm method	
criticism of	31, 38
'hydraulic' abstractions	39, 41, 42, 80–82
<i>modified</i> design storm method	31, 37–43
'natural' drainage - emptying time	39, 40
summary/guidelines - all cases	83
Detention - wetlands	21
Detention of stormwater	1
Detention technology, role of	4
Detention/retention issues - a last word	96
'Dominant' flow	18, 53
Do's and don'ts - retention practice	
aquifer recharge/retrieval	48
clearance distances	47
clearance to rock and shale	47
shallow soils	47
steep terrain	48
unsuitable soils	47
water quality inflows to devices	48
watertable effects of OSR	48
watertable interaction	48
Drinking water - quality guidelines	112
'Dry' ponds - for rainwater harvesting	177, 178
'Dry' ponds (with infiltration)	
examples	88, 89, 135, 136
further design considerations	96
illustrations	21
summary/guidelines - all cases	83
theory formulation	79–82

E

Emptying time as 'target' value	42, 96
Emptying time formulae	40
Environmental flows	
four rainfall destinies	71
Intermediate Australia zone	72
'low flow' mimicking	71
Southern Australia zone	72
spell characteristics	71
Tropical Northern zone	72
Evolution of development	
effect on runoff coefficients	43–45
urbanisation from forest catchment origins	16, 17
Examples of on-site retention practice	
Figtree Place	50, 51
Heritage Mews	50, 51
New Brompton Estate	49
Parfitt Square	49
Plympton Church Community Garden, Adelaide	50
St. Elizabeth Church car park	50
Extended detention basins	21, 80

F

Figtree Place, Newcastle, NSW	50, 51, 88, 89, 157
'Filter strip' swales	
Australian climate zones	144
background	113–15, 137–45
Concluding discussion	153, 154
examples	148–51
further design considerations	147, 148, 152, 153, 154
steps in Procedures 7 and 8	145–47
Filter strips	21

'First flush' systems	
Austin tank	21
background	113–15, 121–24
example	135, 136
further design considerations	124–28
steps in Procedures 5B and 6B	121–24
'First flush' tanks	21
Fish consumption - water quality guidelines	112
Flat site/catchment slope	21
Flood control	
Category 1 systems	53–62, 73–96
interaction with pollution control	125
interaction with raintanks	179–81
primary aims of WSUD	5
summary/guidelines - all cases	83
Four stormwater 'source control' categories	
Category 1 - quantity management	53–62, 71–96
Category 2 - quality management	53, 63, 64, 113–54
Category 3 - harvesting	53, 64, 65, 155–80
Category 4 - mixed objectives	54, 65
Four urban (street) networks	
'benchmark year' concept	55, 67, 68
high-capacity (street) networks	66
low-capacity (street) networks	66
management issues and ARI	67
medium-capacity (street) networks	66
poor-capacity (street) networks	67
Fully- or over-developed catchments	17, 54, 55

G

Grass swales	21, 137–54
Gravel-based reed bed	21, 49
'Greenfield' catchments	
annual rainfall destiny	15
average annual yield	16
efflux water quality	16
environmental flows	16
'lag' time	16
stream morphology	15
stream scenarios	17
urbanisation stages	16
Gross litter	21, 106, 114, 115
Gross pollution traps	21, 113–15
Guidelines - raw waters for drinking	112
Guidelines - water for irrigation	109, 112
Guidelines - water for livestock	112
Guidelines for human consumers of fish	112
Guidelines for quality of recreational waters	112

H

Harvesting - consequences for flooding	179, 180
Harvesting (see Stormwater harvesting)	
Category 3 systems	53, 54, 64, 65, 155–80
interaction with flooding	179, 180
primary aims of WSUD	5
Heavy metal concentrations - various land uses	111
Heavy metals	21, 106, 114, 115, 154
Heavy metals and nutrients	114, 153, 154
Heritage Mews sub-division	43, 51, 96
High sediment input sites	9, 10, 21
High water table sites	21, 96
Highway runoff pollutants - primary sources	105
Human faeces - typical pathogens	103
Hydraulic conductivity	10–12, 23, 27–30
Hydrological design	
Category 1 systems	21, 53–62, 71–96
Category 2 systems	21, 53, 63, 64, 113–54

Category 3 systems.....	21, 53, 54, 64, 65, 155–80
Category 4 systems.....	21, 54, 65

I

Implementation of Handbook measures	
geographic/climate differences.....	181
relationship to other practices.....	181
resistance to change.....	181
sediment in urban catchments.....	9, 10, 21, 181
Infiltration basins	
examples.....	88, 89, 135, 136
further design considerations.....	96
illustrations.....	21
summary/guidelines - all cases.....	83
theory formulation.....	79–82
Infiltration of storm runoff	
augerhole analysis.....	27–30
basic theory.....	23
constructed clay.....	29
'falling head' analysis.....	29, 30
'fully drained' condition.....	23
heavy clay.....	29
hydraulic conductivity.....	23, 27–30
medium clay.....	28
rock.....	28
sandy clay.....	28
sandy soil.....	28
Infiltration ponds	
examples.....	88, 89, 135, 136
further design considerations.....	96
summary/guidelines - all cases.....	83
theory formulation.....	79–82
Infiltration surfaces	
examples.....	83, 84, 89–91, 131–33
<i>external</i> to paving - theory formulation.....	73–75
further design considerations.....	96
summary/guidelines - all cases.....	83
<i>within</i> paved area - theory formulation.....	75
Infiltration trenches	
examples.....	85, 86, 93–95
further design considerations.....	96
summary/guidelines - all cases.....	83
theory formulation.....	77, 78, 80–82
Irrigation water - quality guidelines.....	112

L

Land availability limitation.....	21
'Leaky' (infiltration) systems.....	21
'Leaky' wells - storage/percolation	
example.....	92, 93
further design considerations.....	96
summary/guidelines - all cases.....	83
theory formulation.....	75–77, 80–82
Lifespan of Strategy A and Strategy B systems.....	127, 128
Litter and gross pollution.....	21
Litter baskets and pits.....	21
Litter booms.....	21
Litter racks.....	21
Livestock watering - quality guidelines.....	112

M

Metro Washington Council of Governments.....	21
Moderation Factor, U.....	74
<i>Modified</i> design storm method	
aquifer access systems.....	41, 42, 80–82
basic elements.....	41

'emptying time'.....	39–41
emptying time (ARI) criteria.....	41
emptying time (US, UK, NZ) criteria.....	40
emptying time as 'target'.....	42, 96
'emptying time' formulae.....	40
explanation.....	38, 39
'hydraulic' abstractions.....	39
'natural' drainage systems.....	38–40
preamble.....	38
slow-drainage systems.....	42, 80–82
summary/guidelines - all cases.....	83
Multi-objective projects	
Category 4 systems.....	54, 65
examples.....	49–51
flood/harvesting objectives.....	65
flood/pollution management.....	65
flood/pollution/harvesting goals.....	65
pollution/harvesting objectives.....	65
MUSIC.....	115

N

Navigating the treatment measures.....	21
New Brompton Estate, Adelaide.....	49, 85, 86
'New' residential streets.....	137–54
Nutrients - pollution.....	99, 101, 106, 153, 154

O

Oil and grease.....	21, 106
Oil/grit separators.....	21
OSD systems.....	1–4, 36, 94, 96, 181
OSD/OSR comparisons	
cost.....	2
environmental benefits.....	4
graphical explanation.....	3
harvesting of stormwater.....	4
OSR systems.....	1–4, 36, 94, 96
Overseas WSUD-related practices.....	55, 56
Oxygen-demanding materials.....	21, 98, 106

P

Parfitt Square, Adelaide.....	49
Percolation of storm runoff	
augerhole analysis.....	27–30
constructed clay.....	11, 29
'falling head' analysis.....	29, 30
heavy clay.....	11, 29
hydraulic conductivity.....	10–12, 23, 27–30
medium clay.....	10, 28
rock.....	11, 28
sandy clay and sandy soil.....	10, 28
Permeable pavements.....	21, 23–26
Pervious paving	
blockage.....	23–26
'clogging'.....	23–26
design Guidelines 1 & 2.....	25, 26
example.....	83, 84
grass (porous) paving.....	24–26, 142
hydraulic conductivity.....	23–25
'lifespan'.....	24–26
permeable pavements.....	21, 23–26
porous pavements.....	21
porous paving.....	21, 23–26
screening tool.....	21
sediment accumulation.....	24–26
summary/guidelines - all cases.....	83
vegetated porous paving.....	26

Plympton Church Community Garden, Adelaide	50, 86, 87, 133–35	swales - construction recommendations.....	147, 148
Pollutant removal screening tool	21	swales - contributing catchment.....	138–40
Pollutants in urban environments - concentrations	108	swales - design - introduction	140
Pollution control/treatment		swales - disposal of part-treated stormwater	141, 142
accelerated water removal	119	swales - dissolved pollution	138, 140, 144
aquifer access provision	64	swales - general description	138
Australian climate zones.....	44, 115, 116	swales - introduced surface	138, 140, 141
bypass flow - Q_{lim}	116, 125	swales - lifespan.....	142
case examples - introduction	128	swales - retention opportunities (illustration).....	139
Category 1 and 2 systems compared.....	113	swales - specification	141, 142
Category 2 systems.....	53, 63, 64, 113–54	swales - suggested vegetation	141
chemical oxygen demand	114	Swales, 'filter strip' - concluding comment	153, 154
complex Strategy A systems.....	119–21	swales, 'filter strip' - introduction.....	137
complex Strategy B systems	123, 124	tertiary treatment.....	21
'continuous simulation' modelling	115, 116	'trickling filter' process.....	114
conversion - "soakaways" to 'dry' ponds, etc.	116, 126, 127	Porous and permeable paving (see Pervious paving)	
conversion - "soakaways" to trenches.....	127	example.....	83, 84
devices for sediment-only control	115	navigating the treatment measures	21
devices with concentrated outflows.....	115	permeable pavements.....	21
devices with distributed outflows	115	porous pavements	21
dissolved pollutants	63, 114, 118–20, 123, 138, 140	summary/guidelines - all cases	83
environmental impact	21	theory and guidelines	23–26
'filter strip' swales - concluding comment.....	153, 154	Potential pollution re-mobilisation.....	21, 114
'filter strip' swales - introduction	137	Primary treatment systems	21
'first flush' pollution control/treatment.....	121	Procedure 1A - infiltration surfaces	74
flood control and pollution control.....	125, 126	Procedure 1A - treatment surfaces	74
GPTs plus retention	63	Procedure 1B - infiltration surfaces	75
hydrocarbons	114	Procedure 1B - treatment surfaces	75
hydrological design	21	Procedure 2A - 'leaky' wells.....	75–77
interaction with flooding	179, 180	Procedure 2B - trench devices	75, 77, 78
isolated systems.....	124	Procedure 2C - 'soakaway' devices	75, 78
lifespan of control/treatment systems	127, 128	Procedure 3 - 'dry' ponds.....	79, 80
litter collection.....	113–15	Procedure 3 - infiltration ponds	79, 80
location, importance of.....	21	Procedure 4A - slow-drainage aquifer access	80–82
maintenance, importance of.....	21, 49, 50, 114	Procedure 4B - slow-drainage pipeline case	80–82
nutrients and heavy metals	114	Procedure 5A - simple treatment systems	116–18
parent soil body, importance of	15, 16, 114	Procedure 5B - simple 'first flush' systems.....	121, 122
porous and permeable paving	114, 115	Procedure 6A - complex treatment systems	119–21
primary aims of WSUD.....	5	Procedure 6B - complex 'first flush' systems	123, 124
primary treatment	21	Procedures 7 and 8 - swales ('filter strip')	137–48
Procedure 5A.....	116–18	Procedures 9 and 10 - rainwater tanks	155–75
Procedure 5B	121, 122		
Procedure 6A.....	119–21		
Procedure 6A - aquifer access	120, 121		
Procedure 6A - slow-drainage	120, 121		
Procedure 6B	123, 124		
Procedure 6B - aquifer access.....	123, 124		
Procedure 6B - slow-drainage	123, 124		
references	21, 113, 114		
secondary treatment.....	21		
sediment collection.....	9, 10, 21, 63, 113–15		
selection of measures.....	21		
simple Strategy A systems.....	116–18		
simple Strategy B systems.....	121, 122		
slow-drainage provision	64		
Strategy A - examples	129–35		
Strategy A (95% treatment) systems	63, 114, 116–21		
Strategy A complex systems.....	119–21		
Strategy B - example	135, 136		
Strategy B ('first flush') systems	63, 64, 114, 121–24		
Strategy B complex systems	123, 124		
swale and sub-structure (sketch).....	137		
swale design - Procedures 7 and 8.....	145–47		
swale designs across climate zones	144		
swale graphs – illustrations of use	143		
swale streetscapes - examples.....	148–51		
swales - bypass and flood flows	145		
swales - concluding comment.....	152, 153, 154		

Q

Quality standards - aquifer recharge	112
Quality standards for receiving waters.....	112

R

Rainfall intensity issues	
daily record data	45–47
'embedded' storms.....	45, 46
short time increment data.....	45–47
the ARI, Y = 0.25-year case.....	45, 46
the DRIP programme	47
Rainwater tanks - regional model (see also Stormwater Harvesting)	
introduction.....	173
ornamental pond example	177, 178
preliminary considerations.....	174
raintank examples	175, 176
regional yields - explanation.....	173, 174
software - access details.....	178
software package	178
steps in procedure	175–77
Rainwater tanks - site model (see also Stormwater Harvesting)	
explanation of spreadsheet	167
introduction to spreadsheet	166

steps in procedures 166, 167
yields for Adelaide 169
yields for Australian cities 168
yields for Brisbane 169
yields for Canberra 170
yields for Darwin 170
yields for Hobart 171
yields for Melbourne 171
yields for Perth 172
yields for Sydney 172
Recreational waters - water quality guidelines 112
Re-development illustration
 data and outcomes 2
 introduction - data 1
 OSD/OSR comparisons 3
Regime-in-balance strategy 21, 54, 55
Research directions
 control of fine sediments 181
 emptying time/ARI criteria 181
 OSD/OSR systems - benefits 181
 'reactive' soil problems 181
Residential streets 9, 66, 67, 137–54
Retention devices 6–8, 21
Retention devices in clay with high watertable 96
Retention of stormwater - definition 1
Roof systems
 eaves-gutter storage 21
 'green' roofs 21
 introduction 21
 rainwater tanks 21
 roof gardens 21
 space-saving storages 21
Runoff coefficients
 ARI conversion factor table 45
 connected paved areas 44
 linear interpolation method 45
 pervious areas 44
 unconnected paved areas 44
Runoff volume determination
 basic theory 30
 in-ground devices 30
 time base, τ 30
 volume, ∇ 30

S

Sand filters 21
Secondary treatment systems 21
Sediment
 atmospheric 9
 construction phase 9
 from paved areas 10
 from roofs 9
 fully-established suburb 9
Sediment traps 21
Sedimentation basins 21
Shallow bedrock sites 21
Simple treatment systems
 background 113–15
 examples 128–36
 further design considerations 124–28, 152, 153, 154
 introduction, steps in Procedure 5A 116–18
 introduction, steps in Procedure 5B 121, 122
Site constraints screening tool 21
Site time of concentration, t_c 30
 marinas, incised channels, etc. 58
 summary/guidelines - all cases 83
 t_c and runoff volume 30
 use in design of infiltration surfaces 73–75, 83, 84

 use in design of OSR storages 30, 57, 61
Slow-drainage - use of in runoff management
 examples 7, 89–91, 93–95
 footnote 70
 practical solution - pipeline case 96
 theory formulation 80–82
'Soakaway' devices - storage/percolation
 examples 86, 87, 89–91, 96, 133–35
 further design considerations 96
 summary/guidelines - all cases 83
 theory formulation 78, 80–82
Software package - rainwater tanks 178
Soils
 'clearance' 10, 11
 constructed clays 11
 deep sands 10
 heavy clays 11
 hydraulic conductivity 10–12
 medium clays 10
 non-homogeneity 11
 permeability/reactivity 10
 sandy clays 10
 shallow, with rock 11
 water reactivity 11
St. Elizabeth Church car park, Adelaide 50, 83, 84, 89–91
Steep site/catchment slope 21
Storm *critical* duration
 local catchment value, T_C 56, 57
 t_c and runoff volume 30
 T_C and runoff volume 30
 total catchment value, T_C 56, 57
Storm *critical* duration, T_C
 site time of concentration, t_c 57, 58
 summary/guidelines - all cases 83
 the **sump** case - all durations 58
Storm runoff management
 aquifer access - example 89–91
 aquifer access systems 7, 49–51
 'benchmark year' concept 55, 67, 68
 Category 1 systems 53–62, 73–96
 design - clay sites - the final option 96
 design - combinations of devices 83, 96
 design - detention/retention options 96
 design - 'device full' assumption 73
 design - economic constraints 96
 design - site constraints 96
 design - **slow-drainage** issues/options 96
 design to meet emptying time criteria 96
 developed catchments 19, 20, 54, 55
 devices in clay with high watertable 96
 discharge-corrected equations 82
 'dry' pond - example 88, 89
 end-of-pipe systems 56
 environmental flows 5, 54, 72
 extended detention - example 95
 extended detention systems 7, 80–82
 four urban (street) networks 66
 fully-developed catchments 19, 20, 54, 55
 'greenfield' catchments 55
 high-capacity (street) networks 66
 infiltration surface - example 83, 84, 89–91
 'leaky' well - example 92, 93
 limitations of Procedure 3 cases 80
 low-capacity (street) networks 66
 medium-capacity (street) networks 66
Storm runoff management (cont.)
 Moderation Factor, U (footnote) 74
 over-developed catchments 19, 20, 54, 55
 overseas practice - North America 18, 55, 56

overseas practice - United Kingdom.....	55, 56	tanks - roof and mains supply	157
pavement/'soakaway' design interaction	91	tanks - supply - non-drinking.....	158
poor-capacity (street) networks	67	tanks - 'ultra slim' (fence).....	160
primary aims of WSUD.....	5	the 'use' paradox.....	156
Procedure 1 cases - introduction.....	73	water quality - introduction.....	158, 159
Procedure 1A - infiltration surfaces.....	74, 75	Stormwater management agency, tasks of	
Procedure 2 cases - introduction.....	75	catchment-wide harvesting	69
Procedure 2A - 'leaky' wells	76, 77	commission hydrological study	68
Procedure 2B - trench devices	77, 78	decide <i>emptying time</i> criteria	69
Procedure 2B cases - introduction	77	determine scenario/strategies	69
Procedure 2C - 'soakaway' devices.....	78	determine storm <i>critical</i> durations	69
Procedure 3 - 'dry' ponds	79, 80	make policy decisions on ARIs.....	69
Procedure 3 - pond with infiltration.....	79, 80	policy on Strategy A and/or B.....	69
Procedure 4 cases - introduction.....	80	Stormwater quality, aspects of	
Procedure 4A - aquifer access	80	biological parameters.....	102, 103
Procedure 4A/4B - limitations.....	82, 83	characteristics of urban pollution.....	104
Procedure 4B - using pipeline	80	chemical water quality parameters.....	98, 99
re-development.....	19, 20, 54, 55	contaminants - main groups.....	106
re-development examples.....	1–4, 50, 93–95	contamination level - factors.....	105, 106
regime-in-balance - 5-step table.....	70	effects of urbanisation.....	17, 104
regime-in-balance - introduction.....	69	guidelines - aquatic ecosystems	112
regime-in-balance strategy.....	54, 55	guidelines - consumption of fish.....	112
retrofitting.....	19, 20, 54, 55, 71	guidelines - raw waters for drinking	112
retrofitting examples.....	1–4, 50, 93–95	guidelines - recreational waters.....	112
roof sediment.....	8	guidelines - water for irrigation	112
'simple' installations.....	6	guidelines - water for livestock.....	112
site time of concentration, t_c	57, 58	heavy metals	101, 102
slow-drainage - example	95	highway pollution sources	105
'slow-drainage' systems	7, 70, 80–82	introduction.....	97
'soakaway' device - examples	86, 87, 133–35	mean concentrations - US data.....	108
'soakaway' device - illustrations	7, 96	nitrogen cycle.....	99–101
storm <i>critical</i> duration.....	56–58	pathogens in human faeces	103
storms longer than <i>critical</i>	56–58	phosphorous cycle.....	101
storms shorter than <i>critical</i>	56–58	physical water quality parameters.....	97, 98
sub-structure/'soakaway' - examples.....	89–91	pollution concentrations - urban	107
summary/guidelines - all cases.....	83	quality standards - receiving waters.....	112
the sump case - all durations.....	58	roads - heavy metal concentrations	111
three stream scenario/strategies	54, 55	sources of pollution.....	104, 105
traditional approach.....	1	standards - aquifer recharge	112
trench device - example.....	85, 93–95	typical concentrations and use guidelines	109, 110
void space ratio, e_s	77	'wash-off' and 'first flush'	105, 106
water-retaining devices.....	5	Strategy A - design for 95% treatment.....	63, 114–21
yield-maximum strategy.....	54, 55	Strategy B - 'first flush' treatment	63, 64, 114, 115, 121–24
yield-minimum - tabulation.....	71	Suspended solids.....	16, 21, 97, 106, 110, 112, 153, 154
yield-minimum strategy	54, 55	Swales.....	21, 73, 137–54
Stormwater - concentrations of contaminants.....	109, 110	Swales and bio-retention systems	21, 137–54
Stormwater harvesting		Swales, 'filter strip'	
aquifer storage/recovery (ASR).....	65	background	113–15, 137–45
Category 3 systems.....	53, 54, 64, 65, 155–80	concluding comment.....	153, 154
chemical considerations.....	159	examples	148–51
consequences for flooding	179, 180	further design considerations	147, 148, 152, 153, 154
current drainage practice	155	steps in Procedures 7 and 8.....	145–47
domestic applications	64		
flood relief - Northern/Southern effects.....	180		
gravity supply	157		
hot water supply	157		
impact on flooding - references	179, 180		
industrial applications.....	64		
in-ground tanks - health issues	160		
microbiological aspects	159		
multiple tank harvesting	160		
'passive irrigation'.....	65		
references	156		
roof runoff harvesting, RRHS	155–80		
tank size - practical aspects	156		
tanks - all purpose supply	158		
tanks - box gutter storage.....	157, 160		
tanks - modular.....	160		
tanks - pumped systems.....	160		

T

Tertiary treatment systems	21
Tidal range site	21
'Top end' site drainage	
economic advantage of	58–60
regime-in-balance strategy	58
theory of.....	59, 60
yield-maximum strategy	58
yield-minimum strategy.....	58

Total nitrogen 16, 21, 99–101, 105, 108, 112, 153, 154
 Total phosphorous 16, 21, 101, 105, 108, 112, 153, 154
 Trash racks 21, 113, 114
 Treatment surfaces
 examples 83, 84, 89–91, 131, 132
 further design considerations 96
 summary/guidelines - all cases 83
 theory formulations 82–84
 Treatment systems - pollution control (see Pollution control/treatment)
 Category 2 systems 53, 63, 64, 113–54
 interaction with flooding 179, 180
 primary aims of WSUD 5
 'Treatment train' 10, 21, 114
 'Treatment train' elements 32
 Trench devices - storage/percolation
 examples 85, 86, 93–95
 further design considerations 96
 summary/guidelines - all cases 83
 theory formulation 77, 78, 80–82

U

Underground installation required 21
 Urban environments - pollutant concentrations 108
 Urban land use hierarchy and ARI
 community flood accommodation 62
 factories, businesses, sport, etc. 62
 food, pharmaceutical etc. stores 62
 high-density residential 62
 hospitals, civil defence HQ 62
 medium-density residential 62
 police, water supply, power, gas 62
 Urbanisation, evolution of
 effect on runoff coefficients 43–45
 stages in the process 16, 17

V

Vision of WSUD (stormwater)
 conventional development 1, 15–17
 sustainable development 18–20, 181
 Void space ratio, e_s 77

W

Wastewater - concentrations of contaminants 109, 110
 Water quality improvement structures
 constructed wetlands 21
 'dry' ponds 21
 extended detention basins 21
 fine sediment control devices 21
 infiltration basins 21
 oil/grit separators 21
 UniSA tank 21
 water quality inlets 21
 wet detention basins 21
 Water-sensitive urban design
 'oversizing' devices 20
 planning for 'greenfield' development 18
 primary aims 5
 retrofitting WSUD practices 19
 site options/opportunities 5
 the limitations 20
 Waterway management 53–56
 Waterways and sustainable urbanisation
 existing infrastructure case 42, 43, 54, 55, 57
 natural stream case 42, 43, 54, 55
 Wetlands 21

Y

Yield-maximum strategy 21, 54, 55
Yield-minimum strategy 21, 54, 55